

Product name:AALBORG WHITE cement made in EgyptPage:1/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: AALBORG WHITE cement made in Egypt

AALBORG WHITE cement made in Egypt CEM I 52,5R
AALBORG WHITE cement made in Egypt CEM I 52,5N
AALBORG WHITE cement made in Egypt CEM II/B-LL 42,5N

<u>UFI:</u> 5S10-Y05U-900A-XNYN (AALBORG WHITE made in Egypt CEM I 52,5 R)

5S10-Y05U-900A-XNYN (AALBORG WHITE made in Egypt CEM I 52,5 N) E920-00A7-4009-XQGG (AALBORG WHITE made in Egypt CEM II/B-LL 42,5 N)

Container size: 25 kg, 50 kg, Bulk, Big bags

1.2. Relevant identified uses of the substance or mixture and uses advised against

Application: Binder for natural and artificially processed aggregates, such as sand and gravel,

for production of mortar, plaster and concrete.

'AALBORG WHITE cement made in Egypt' does not contain water-soluble chromium 6+, thus being chromium neutral as no chromium-based raw materials are used in the production. This fulfils EU's demands for a maximum value of 2mg/kg soluble chromium (VI) in cement under normal and dry storing conditions

without time limits.

1.3. Details of the supplier of the safety data sheet

Supplier: Aalborg Portland Belgium NV

Noorderlaan 147, AtlanticHouse

2030 Antwerpen

Belgium

Tel:+45 9816 7777 Fax:+45 9810 1186

cement@aalborgportland.com www.aalborgportland.be

Responsible for safety data

sheet authoring:

cement@aalborgportland.com

1.4. Emergency telephone number

Product name:AALBORG WHITE cement made in EgyptPage:2/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

The product is classified:

<u>CLP:</u> Eye Dam. 1;H318 - Skin Irrit. 2;H315 - STOT SE 3;H335

2.2. Label elements



DANGER

Contains: Portland cement

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 P102 Keep out of reach of children.

P280 Wear protective clothing, gloves, eye and face protection.

P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P261 Avoid breathing dust.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P501 Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

PBT/vPvB: This product does not contain any PBT or vPvB substances.

Other: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

Contains: Calcium oxide. When mixed with water it will form calcium hydroxide

which has a corrosive effect on skin and eyes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

The product contains: cement .

The following substances shall be indicated according to legislation:

Product name: AALBORG WHITE cement made in Egypt Page: 3/12

Supersedes date: 2021-03-02 Revision: 2021-03-03

Product No.: SDS-ID: EU-EN/3.1

CLP:

<u>%:</u> <u>CAS-No.:</u> <u>EC No.:</u> <u>REACH Reg.</u> <u>Chemical name:</u> <u>Hazard classification:</u> <u>Notes:</u>

No:

60-100 65997-15-1 266-043-4 - Portland cement Skin Irrit. 2;H315

Eye Dam. 1;H318 STOT SE 3;H335

References: The full text for all hazard statements is displayed in section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation: Move injured person into fresh air and keep person calm under observation. If

uncomfortable: Seek hospital and bring along these instructions.

Skin contact: Remove contaminated clothing immediately and wash skin with soap and water.

In case of rashes, wounds or other skin disorders: Seek medical attention and

bring along these instructions.

Eye contact: Do not rub eye. Immediately flush with plenty of water for at least 15 minutes.

Remove any contact lenses and open eyelids widely. If irritation persists: Continue flushing during transport to hospital. Bring along these instructions.

Ingestion: Immediately rinse mouth and drink plenty of water or milk. Keep person under

observation. Do not induce vomiting. If vomiting occurs, keep head low. Transport immediately to hospital and bring along these instructions.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects: See section 11 for more detailed information on health effects and symptoms.

4.3. Indication of any immediate medical attention and special treatment needed

<u>Medical attention/treatments:</u> Treat symptomatically.

Product name:AALBORG WHITE cement made in EgyptPage:4/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

<u>Specific hazards:</u> Water used for fire extinguishing, which has been in contact with the product,

may be corrosive.

5.3. Advice for firefighters

Protective equipment for fire-

fighters:

Selection of respiratory protection for fire fighting: follow the general fire

precautions indicated in the workplace.

In case of contact with water used for fire extinguishing, use chemical resistant

protective suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Avoid inhalation of dust. Avoid contact with eyes and prolonged skin contact. Use

work methods which minimise dust production.

6.2. Environmental precautions

Environmental The product should not be dumped in nature but collected and delivered

<u>precautions:</u> according to agreement with the local authorities.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up: Remove spillage with vacuum cleaner. If not possible, collect spillage with shovel,

broom or the like.

6.4. Reference to other sections

References: For personal protection, see section 8.

For waste disposal, see section 13.

Product name:AALBORG WHITE cement made in EgyptPage:5/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

<u>Safe handling advice:</u> Observe good chemical hygiene practices. Avoid spreading dust. Avoid

inhalation of dust. Avoid contact with eyes and prolonged skin contact. Change

contaminated clothing.

<u>Technical measures:</u> Use work methods which minimise dust production.

<u>Technical precautions:</u> Mechanical ventilation may be required. Provide easy access to water supply and

eye wash facilities.

7.2. Conditions for safe storage, including any incompatibilities

<u>Technical measures for safe</u> No special precautions.

storage:

Storage conditions: Store in closed original container in a dry place. Seal opened containers and use

up as soon as possible.

7.3. Specific end use(s)

Specific use(s): Not relevant.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Please note that there may be national occupational exposure limits.

8.2. Exposure controls

<u>Engineering measures:</u> Provide adequate ventilation. Observe occupational exposure limits and

minimise the risk of inhalation of dust.

<u>Personal protection:</u> Personal protection equipment should be chosen according to the CEN

standards and in discussion with the supplier of the personal protective

equipment.

Respiratory equipment: During dust-raising work: Use respiratory equipment with particle filter, type P2.

<u>Hand protection:</u> Wear protective gloves. Nitrile gloves are recommended. Other types of gloves

can be recommended by the glove supplier.

Eye protection: Wear goggles/face shield.

Skin protection: Wear special protective clothing. Hood or helmet shall be used in connection

with splashing work.

Hygiene measures: Remove contaminated clothing and wash the skin thoroughly with soap and

water after work.

Environmental Exposure

Controls:

Not available.

Product name: AALBORG WHITE cement made in Egypt Page: 6/12

Supersedes date: 2021-03-02 Revision: 2021-03-03

Product No.: SDS-ID: EU-EN/3.1

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: cement, white powder

Odourless.

pH: Ready-to-use mixture: approx. 13

Melting point / freezing point: Not relevant. **Boiling point:** Not relevant. Flash point: Not relevant. **Evaporation rate:** Not relevant. Flammability (solid, gas): Not relevant. **Explosion limits:** Not relevant. Vapour pressure: Not relevant. Vapour density: Not relevant. Relative density: Not available.

Solubility: Miscible with water.

Partition coefficient (n-

octanol/water):

Not relevant.

<u>Auto-ignition</u> Not relevant.

temperature (°C):

<u>Decomposition</u> Not relevant.

temperature (°C):

Viscosity:Not relevant.Explosive properties:Not relevant.Oxidising properties:Not relevant.

9.2. Other information

Other data: Not relevant.

Product name:AALBORG WHITE cement made in EgyptPage:7/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reactivity: None known.

10.2. Chemical stability

Stable under normal temperature conditions.

10.3. Possibility of hazardous reactions

<u>Hazardous Reactions:</u> None known.

10.4. Conditions to avoid

Conditions/materials to avoid: The product will harden into a hard mass in contact with water and moisture.

10.5. Incompatible materials

Incompatible materials: Not known.

10.6. Hazardous decomposition products

<u>Hazardous decomposition</u> None in particular.

products:

Product name:AALBORG WHITE cement made in EgyptPage:8/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute Toxicity (Oral):

Acute Toxicity (Dermal):

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Acute Toxicity (Inhalation):

Based on available data, the classification criteria are not met.

Skin Corrosion/Irritation: Causes skin irritation.

Serious eye damage/irritation: Causes serious eye damage.

Respiratory or skin

sensitisation:

Based on available data, the classification criteria are not met.

<u>Germ cell mutagenicity:</u>

<u>Carcinogenicity:</u>

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Based on available data, the classification criteria are not met.

<u>STOT - Single exposure:</u> May cause respiratory irritation.

STOT - Repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

<u>Inhalation:</u> Dust may irritate throat and respiratory system and cause coughing.

Skin contact: Dust has an irritating effect on moist skin. Risk of sensitisation or allergic

reactions among sensitive individuals.

Eye contact: Dust or splashes from the mixture may cause permanent eye damage.

Immediate first aid is necessary.

Ingestion: Not likely, due to the form of the product. Ingestion may cause severe irritation of

the mouth, the oesophagus and the gastrointestinal tract.

Specific effects: Frequent inhalation of dust over a long period of time increases the risk of

developing lung diseases.

11.2. Information on other hazards

Endocrine disrupting

The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

Product name:AALBORG WHITE cement made in EgyptPage:9/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

<u>Ecotoxicity:</u> The product is not expected to be hazardous to the environment.

12.2. Persistence and degradability

<u>Degradability:</u> The product reacts with water to form a solid insoluble reaction product which is

non-degradable, according to information available.

12.3. Bioaccumulative potential

<u>Bioaccumulative potential:</u> No data available on bioaccumulation.

12.4. Mobility in soil

Mobility: No data available.

12.5. Results of PBT and vPvB assessment

<u>PBT/vPvB:</u> This product does not contain any PBT or vPvB substances.

12.6. Endocrine disrupting properties

Endocrine disrupting The product does not contain any substance identified as having endocrine

<u>properties:</u> disrupting properties.

12.7. Other adverse effects

Other adverse effects: None known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Waste is classified as hazardous waste. Note that fully cured material is not considered as hazardous waste.

Waste from residues: EWC-code: 10 13 06

Empty packaging: EWC-code: 15 01 01

Product name:AALBORG WHITE cement made in EgyptPage:10/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 14: TRANSPORT INFORMATION

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

<u>UN-No:</u>

14.2. UN proper shipping name

Proper Shipping Name:

14.3. Transport hazard class(es)

<u>Class:</u> -

14.4. Packing group

<u>PG:</u> -

14.5. Environmental hazards

Marine pollutant: -

Environmentally Hazardous

substance:

14.6. Special precautions for user

Special precautions: None known.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<u>Transport in bulk:</u> Not relevant.

Product name:AALBORG WHITE cement made in EgyptPage:11/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special provisions:

As a general rule, persons under 18 years of age are not allowed to work with this product. Users must be carefully instructed in the proper work procedure, the dangerous properties of the product and the necessary safety instructions.

National regulation:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, with amendments.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work, with amendments.

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, with amendments.

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work, with amendments.

Directive 2004/37/EC of the European Parliament and of the Council of 29 April 2004 on the protection of workers from the risks related to exposure to carcinogens or mutagens at work, with amendments.

Directive 2009/148/EC of the European Parliament and of the Council of 30 November 2009 on the protection of workers from the risks related to exposure to asbestos at work, with amendments.

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, with amendments. 2014/955/EC: Commission Decision of 18 December 2014 amending Decision 2000/532/EC as regards the list of wastes.

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work, with amendments.

15.2. Chemical Safety Assessment

<u>CSA status:</u> No chemical safety assessment has been carried out.

Product name:AALBORG WHITE cement made in EgyptPage:12/12Supersedes date:2021-03-02Revision:2021-03-03Product No.:SDS-ID:EU-EN/3.1

SECTION 16: OTHER INFORMATION

The user must be instructed in the proper work procedure and be familiar with the contents of these instructions.

The following sections contain revisions or new statements: 1, 2, 11, 12, 16.

<u>used in the safety data sheet:</u> PBT = Persistent, Bioaccumulative and Toxic.

vPvB = very Persistent and very Bioaccumulative.

UFI = Unique Formula Identifier.

Additional information: Classification according to Regulation (EC) No. 1272/2008:

Calculation method.

Wording of H-statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.
H335 May cause respiratory irritation.

The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.

Made by DHI - Environment and Toxicology, Agern Allé 5, DK-2970 Hørsholm, Denmark. www.dhigroup.com.